

	Value	Log Time
Oxygen Sensor 1 Voltage	0.085	03_20_2024 3.34.05 PM
	0.075	03_20_2024 3.34.05 PM
	0.06	03_20_2024 3.34.06 PM
	0.05	03_20_2024 3.34.07 PM
	0.05	03_20_2024 3.34.08 PM
	0.045	03_20_2024 3.34.09 PM
	0.035	03_20_2024 3.34.09 PM
	0.035	03_20_2024 3.34.10 PM
	0.035	03_20_2024 3.34.11 PM
	0.06	03_20_2024 3.34.12 PM
	0.055	03_20_2024 3.34.13 PM
	0.555	03_20_2024 3.34.13 PM
	0.015	03_20_2024 3.34.14 PM
	0.855	03_20_2024 3.34.15 PM
	0.745	03_20_2024 3.34.16 PM
	0.02	03_20_2024 3.34.16 PM
	0.04	03_20_2024 3.34.17 PM
	0.555	03_20_2024 3.34.18 PM
	0.265	03_20_2024 3.34.19 PM
	0.565	03_20_2024 3.34.20 PM
	0.745	03_20_2024 3.34.20 PM
	0.605	03_20_2024 3.34.21 PM
	0.7	03_20_2024 3.34.22 PM
	0.52	03_20_2024 3.34.23 PM
	0.29	03_20_2024 3.34.24 PM
	0.19	03_20_2024 3.34.24 PM
	0.405	03_20_2024 3.34.25 PM
	0.43	03_20_2024 3.34.26 PM
	0.615	03_20_2024 3.34.27 PM
	0.755	03_20_2024 3.34.28 PM
	0.23	03_20_2024 3.34.28 PM
	0.68	03_20_2024 3.34.29 PM
	0.14	03_20_2024 3.34.30 PM
	0.35	03_20_2024 3.34.31 PM
	0.175	03_20_2024 3.34.32 PM
	0.095	03_20_2024 3.34.32 PM
	0.635	03_20_2024 3.34.33 PM
	0.115	03_20_2024 3.34.34 PM
	0.605	03_20_2024 3.34.35 PM
	0.225	03_20_2024 3.34.36 PM
	0.055	03_20_2024 3.34.36 PM
	0.695	03_20_2024 3.34.37 PM

0.105 03_20_2024 3.34.38 PM
0.77 03_20_2024 3.34.39 PM
0.72 03_20_2024 3.34.39 PM
0.665 03_20_2024 3.34.40 PM
0.835 03_20_2024 3.34.41 PM
0.78 03_20_2024 3.34.41 PM
0.625 03_20_2024 3.34.42 PM
0.74 03_20_2024 3.34.43 PM
0.055 03_20_2024 3.34.44 PM
0.36 03_20_2024 3.34.45 PM
0.065 03_20_2024 3.34.45 PM
0.72 03_20_2024 3.34.46 PM
0.785 03_20_2024 3.34.47 PM
0.75 03_20_2024 3.34.48 PM
0.04 03_20_2024 3.34.48 PM
0.06 03_20_2024 3.34.49 PM
0.7 03_20_2024 3.34.50 PM
0.735 03_20_2024 3.34.51 PM
0.19 03_20_2024 3.34.52 PM
0.705 03_20_2024 3.34.52 PM
0.755 03_20_2024 3.34.53 PM
0.69 03_20_2024 3.34.54 PM
0.15 03_20_2024 3.34.55 PM
0.76 03_20_2024 3.34.55 PM
0.06 03_20_2024 3.34.56 PM
0.76 03_20_2024 3.34.57 PM
0.57 03_20_2024 3.34.58 PM
0.76 03_20_2024 3.34.58 PM
0.73 03_20_2024 3.34.59 PM
0.44 03_20_2024 3.35.00 PM
0.64 03_20_2024 3.35.00 PM
0.07 03_20_2024 3.35.01 PM
0.76 03_20_2024 3.35.02 PM
0.135 03_20_2024 3.35.03 PM
0.445 03_20_2024 3.35.03 PM
0.675 03_20_2024 3.35.04 PM
0.435 03_20_2024 3.35.05 PM
0.79 03_20_2024 3.35.06 PM
0.61 03_20_2024 3.35.06 PM
0.245 03_20_2024 3.35.07 PM
0.715 03_20_2024 3.35.08 PM
0.275 03_20_2024 3.35.09 PM
0.18 03_20_2024 3.35.09 PM

0.125 03_20_2024 3.35.10 PM
0.555 03_20_2024 3.35.11 PM
0.71 03_20_2024 3.35.12 PM
0.785 03_20_2024 3.35.12 PM
0.15 03_20_2024 3.35.13 PM
0.635 03_20_2024 3.35.14 PM
0.465 03_20_2024 3.35.15 PM
0.445 03_20_2024 3.35.15 PM
0.62 03_20_2024 3.35.16 PM
0.255 03_20_2024 3.35.17 PM
0.47 03_20_2024 3.35.17 PM
0.61 03_20_2024 3.35.18 PM
0.655 03_20_2024 3.35.19 PM
0.135 03_20_2024 3.35.20 PM
0.365 03_20_2024 3.35.20 PM
0.695 03_20_2024 3.35.21 PM
0.605 03_20_2024 3.35.22 PM
0.13 03_20_2024 3.35.22 PM
0.15 03_20_2024 3.35.23 PM
0.735 03_20_2024 3.35.24 PM
0.655 03_20_2024 3.35.25 PM
0.175 03_20_2024 3.35.26 PM
0.245 03_20_2024 3.35.26 PM
0.64 03_20_2024 3.35.27 PM
0.08 03_20_2024 3.35.28 PM
0.595 03_20_2024 3.35.29 PM
0.15 03_20_2024 3.35.29 PM
0.21 03_20_2024 3.35.30 PM
0.55 03_20_2024 3.35.31 PM
0.58 03_20_2024 3.35.32 PM
0.595 03_20_2024 3.35.32 PM
0.11 03_20_2024 3.35.33 PM
0.585 03_20_2024 3.35.34 PM
0.085 03_20_2024 3.35.35 PM
0.73 03_20_2024 3.35.35 PM
0.275 03_20_2024 3.35.36 PM
0.335 03_20_2024 3.35.37 PM
0.475 03_20_2024 3.35.37 PM
0.695 03_20_2024 3.35.38 PM
0.205 03_20_2024 3.35.39 PM
0.055 03_20_2024 3.35.40 PM
0.505 03_20_2024 3.35.40 PM
0.18 03_20_2024 3.35.41 PM

0.745 03_20_2024 3.35.42 PM
0.31 03_20_2024 3.35.42 PM
0.44 03_20_2024 3.35.43 PM
0.23 03_20_2024 3.35.44 PM
0.55 03_20_2024 3.35.44 PM
0.615 03_20_2024 3.35.45 PM
0.27 03_20_2024 3.35.46 PM
0.76 03_20_2024 3.35.47 PM
0.43 03_20_2024 3.35.47 PM
0.65 03_20_2024 3.35.48 PM
0.625 03_20_2024 3.35.49 PM
0.68 03_20_2024 3.35.50 PM
0.675 03_20_2024 3.35.50 PM
0.52 03_20_2024 3.35.51 PM
0.295 03_20_2024 3.35.52 PM
0.28 03_20_2024 3.35.52 PM
0.33 03_20_2024 3.35.53 PM
0.255 03_20_2024 3.35.54 PM
0.43 03_20_2024 3.35.54 PM
0.605 03_20_2024 3.35.55 PM
0.705 03_20_2024 3.35.56 PM
0.78 03_20_2024 3.35.57 PM
0.15 03_20_2024 3.35.58 PM
0.36 03_20_2024 3.35.58 PM
0.19 03_20_2024 3.35.59 PM
0.18 03_20_2024 3.36.00 PM
0.38 03_20_2024 3.36.00 PM
0.63 03_20_2024 3.36.01 PM
0.41 03_20_2024 3.36.02 PM
0.16 03_20_2024 3.36.03 PM
0.78 03_20_2024 3.36.03 PM
0.64 03_20_2024 3.36.04 PM
0.4 03_20_2024 3.36.05 PM
0.7 03_20_2024 3.36.05 PM
0.3 03_20_2024 3.36.06 PM
0.705 03_20_2024 3.36.07 PM
0.695 03_20_2024 3.36.08 PM
0.21 03_20_2024 3.36.08 PM
0.44 03_20_2024 3.36.09 PM
0.475 03_20_2024 3.36.10 PM
0.7 03_20_2024 3.36.10 PM
0.095 03_20_2024 3.36.11 PM
0.23 03_20_2024 3.36.12 PM

0.395 03_20_2024 3.36.12 PM
0.655 03_20_2024 3.36.13 PM
0.615 03_20_2024 3.36.14 PM
0.41 03_20_2024 3.36.15 PM
0.115 03_20_2024 3.36.15 PM
0.205 03_20_2024 3.36.16 PM
0.66 03_20_2024 3.36.17 PM
0.605 03_20_2024 3.36.18 PM
0.725 03_20_2024 3.36.19 PM
0.595 03_20_2024 3.36.19 PM
0.185 03_20_2024 3.36.20 PM
0.595 03_20_2024 3.36.21 PM
0.335 03_20_2024 3.36.21 PM
0.36 03_20_2024 3.36.22 PM
0.34 03_20_2024 3.36.23 PM
0.295 03_20_2024 3.36.24 PM
0.67 03_20_2024 3.36.24 PM
0.33 03_20_2024 3.36.25 PM
0.71 03_20_2024 3.36.26 PM
0.36 03_20_2024 3.36.27 PM
0.775 03_20_2024 3.36.27 PM
0.315 03_20_2024 3.36.28 PM
0.37 03_20_2024 3.36.29 PM
0.715 03_20_2024 3.36.30 PM
0.545 03_20_2024 3.36.30 PM
0.085 03_20_2024 3.36.31 PM
0.7 03_20_2024 3.36.32 PM
0.365 03_20_2024 3.36.33 PM
0.48 03_20_2024 3.36.33 PM
0.66 03_20_2024 3.36.34 PM
0.35 03_20_2024 3.36.35 PM
0.71 03_20_2024 3.36.36 PM
0.44 03_20_2024 3.36.36 PM
0.125 03_20_2024 3.36.37 PM
0.54 03_20_2024 3.36.38 PM
0.75 03_20_2024 3.36.38 PM
0.705 03_20_2024 3.36.39 PM
0.68 03_20_2024 3.36.40 PM
0.755 03_20_2024 3.36.41 PM
0.095 03_20_2024 3.36.42 PM
0.19 03_20_2024 3.36.42 PM
0.6 03_20_2024 3.36.43 PM
0.53 03_20_2024 3.36.44 PM

0.645 03_20_2024 3.36.45 PM
0.685 03_20_2024 3.36.45 PM
0.775 03_20_2024 3.36.46 PM
0.385 03_20_2024 3.36.47 PM
0.41 03_20_2024 3.36.47 PM
0.72 03_20_2024 3.36.48 PM
0.145 03_20_2024 3.36.49 PM
0.39 03_20_2024 3.36.50 PM
0.055 03_20_2024 3.36.50 PM
0.545 03_20_2024 3.36.51 PM
0.265 03_20_2024 3.36.52 PM
0.475 03_20_2024 3.36.52 PM
0.69 03_20_2024 3.36.53 PM
0.275 03_20_2024 3.36.54 PM
0.485 03_20_2024 3.36.55 PM
0.22 03_20_2024 3.36.55 PM
0.615 03_20_2024 3.36.56 PM
0.54 03_20_2024 3.36.57 PM
0.34 03_20_2024 3.36.58 PM
0.595 03_20_2024 3.36.58 PM
0.555 03_20_2024 3.36.59 PM
0.085 03_20_2024 3.37.00 PM
0.765 03_20_2024 3.37.01 PM
0.14 03_20_2024 3.37.01 PM
0.095 03_20_2024 3.37.02 PM
0.67 03_20_2024 3.37.03 PM
0.585 03_20_2024 3.37.03 PM
0.625 03_20_2024 3.37.04 PM
0.525 03_20_2024 3.37.05 PM
0.555 03_20_2024 3.37.06 PM
0.565 03_20_2024 3.37.06 PM
0.615 03_20_2024 3.37.07 PM
0.135 03_20_2024 3.37.08 PM
0.725 03_20_2024 3.37.08 PM
0.325 03_20_2024 3.37.09 PM
0.225 03_20_2024 3.37.10 PM
0.425 03_20_2024 3.37.11 PM
0.47 03_20_2024 3.37.11 PM
0.775 03_20_2024 3.37.12 PM
0.655 03_20_2024 3.37.13 PM
0.32 03_20_2024 3.37.13 PM
0.65 03_20_2024 3.37.14 PM
0.505 03_20_2024 3.37.15 PM

0.625 03_20_2024 3.37.16 PM
0.78 03_20_2024 3.37.16 PM
0.71 03_20_2024 3.37.17 PM
0.085 03_20_2024 3.37.18 PM
0.425 03_20_2024 3.37.18 PM
0.7 03_20_2024 3.37.19 PM
0.16 03_20_2024 3.37.20 PM
0.105 03_20_2024 3.37.21 PM
0.495 03_20_2024 3.37.22 PM
0.67 03_20_2024 3.37.22 PM
0.165 03_20_2024 3.37.23 PM
0.12 03_20_2024 3.37.24 PM
0.66 03_20_2024 3.37.24 PM
0.315 03_20_2024 3.37.25 PM
0.325 03_20_2024 3.37.26 PM
0.165 03_20_2024 3.37.27 PM
0.35 03_20_2024 3.37.27 PM
0.11 03_20_2024 3.37.28 PM
0.065 03_20_2024 3.37.29 PM
0.725 03_20_2024 3.37.30 PM
0.13 03_20_2024 3.37.31 PM
0.095 03_20_2024 3.37.31 PM
0.715 03_20_2024 3.37.32 PM
0.665 03_20_2024 3.37.33 PM
0.125 03_20_2024 3.37.33 PM
0.69 03_20_2024 3.37.34 PM
0.715 03_20_2024 3.37.35 PM
0.445 03_20_2024 3.37.35 PM
0.685 03_20_2024 3.37.36 PM
0.46 03_20_2024 3.37.37 PM
0.735 03_20_2024 3.37.38 PM
0.265 03_20_2024 3.37.38 PM
0.715 03_20_2024 3.37.39 PM
0.105 03_20_2024 3.37.40 PM
0.08 03_20_2024 3.37.41 PM
0.085 03_20_2024 3.37.42 PM
0.22 03_20_2024 3.37.42 PM
0.055 03_20_2024 3.37.43 PM
0.055 03_20_2024 3.37.44 PM
0.06 03_20_2024 3.37.45 PM
0.71 03_20_2024 3.37.45 PM
0.085 03_20_2024 3.37.46 PM
0.165 03_20_2024 3.37.47 PM

0.71 03_20_2024 3.37.48 PM
0.4 03_20_2024 3.37.49 PM
0.56 03_20_2024 3.37.49 PM
0.675 03_20_2024 3.37.50 PM
0.66 03_20_2024 3.37.51 PM
0.54 03_20_2024 3.37.52 PM
0.065 03_20_2024 3.37.52 PM
0.76 03_20_2024 3.37.53 PM
0.755 03_20_2024 3.37.54 PM
0.72 03_20_2024 3.37.55 PM
0.735 03_20_2024 3.37.56 PM
0.77 03_20_2024 3.37.57 PM
0.84 03_20_2024 3.37.57 PM
0.86 03_20_2024 3.37.58 PM
0.87 03_20_2024 3.37.59 PM
0.87 03_20_2024 3.38.00 PM
0.865 03_20_2024 3.38.01 PM
0.865 03_20_2024 3.38.02 PM
0.865 03_20_2024 3.38.03 PM
0.865 03_20_2024 3.38.04 PM
0.865 03_20_2024 3.38.05 PM
0.855 03_20_2024 3.38.05 PM
0.86 03_20_2024 3.38.06 PM
0.86 03_20_2024 3.38.07 PM
0.84 03_20_2024 3.38.08 PM
0.845 03_20_2024 3.38.09 PM
0.85 03_20_2024 3.38.10 PM
0.85 03_20_2024 3.38.11 PM
0.855 03_20_2024 3.38.12 PM
0.62 03_20_2024 3.38.13 PM
0.71 03_20_2024 3.38.14 PM
0.65 03_20_2024 3.38.14 PM
0.185 03_20_2024 3.38.15 PM
0.05 03_20_2024 3.38.16 PM
0.63 03_20_2024 3.38.17 PM
0.1 03_20_2024 3.38.18 PM
0.75 03_20_2024 3.38.18 PM
0.575 03_20_2024 3.38.19 PM
0.525 03_20_2024 3.38.20 PM
0.63 03_20_2024 3.38.21 PM
0.14 03_20_2024 3.38.22 PM
0.485 03_20_2024 3.38.22 PM
0.16 03_20_2024 3.38.23 PM

0.175 03_20_2024 3.38.24 PM
0.55 03_20_2024 3.38.25 PM
0.74 03_20_2024 3.38.26 PM
0.54 03_20_2024 3.38.26 PM
0.145 03_20_2024 3.38.27 PM
0.185 03_20_2024 3.38.28 PM
0.79 03_20_2024 3.38.29 PM
0.09 03_20_2024 3.38.29 PM
0.115 03_20_2024 3.38.30 PM
0.63 03_20_2024 3.38.31 PM
0.765 03_20_2024 3.38.32 PM
0.79 03_20_2024 3.38.32 PM
0.74 03_20_2024 3.38.33 PM
0.405 03_20_2024 3.38.34 PM
0.055 03_20_2024 3.38.35 PM
0.055 03_20_2024 3.38.36 PM
0.065 03_20_2024 3.38.36 PM
0.055 03_20_2024 3.38.37 PM
0.635 03_20_2024 3.38.38 PM
0.78 03_20_2024 3.38.39 PM
0.665 03_20_2024 3.38.39 PM
0.25 03_20_2024 3.38.40 PM
0.485 03_20_2024 3.38.41 PM
0.045 03_20_2024 3.38.42 PM
0.045 03_20_2024 3.38.42 PM
0.675 03_20_2024 3.38.43 PM
0.77 03_20_2024 3.38.44 PM
0.77 03_20_2024 3.38.45 PM
0.785 03_20_2024 3.38.46 PM
0.735 03_20_2024 3.38.46 PM
0.06 03_20_2024 3.38.47 PM
0.05 03_20_2024 3.38.48 PM
0.205 03_20_2024 3.38.49 PM
0.58 03_20_2024 3.38.49 PM
0.44 03_20_2024 3.38.50 PM
0.54 03_20_2024 3.38.51 PM
0.5 03_20_2024 3.38.52 PM
0.16 03_20_2024 3.38.52 PM
0.7 03_20_2024 3.38.53 PM
0.745 03_20_2024 3.38.54 PM
0.11 03_20_2024 3.38.55 PM
0.665 03_20_2024 3.38.56 PM
0.65 03_20_2024 3.38.56 PM

0.415 03_20_2024 3.39.03 PM
0.66 03_20_2024 3.39.03 PM
0.62 03_20_2024 3.39.04 PM
0.72 03_20_2024 3.39.05 PM
0.195 03_20_2024 3.39.06 PM
0.62 03_20_2024 3.39.06 PM
0.14 03_20_2024 3.39.07 PM
0.625 03_20_2024 3.39.08 PM
0.53 03_20_2024 3.39.09 PM
0.405 03_20_2024 3.39.10 PM
0.22 03_20_2024 3.39.10 PM
0.465 03_20_2024 3.39.11 PM
0.21 03_20_2024 3.39.12 PM
0.485 03_20_2024 3.39.13 PM
0.21 03_20_2024 3.39.14 PM
0.665 03_20_2024 3.39.14 PM
0.69 03_20_2024 3.39.15 PM
0.565 03_20_2024 3.39.16 PM
0.64 03_20_2024 3.39.17 PM
0.37 03_20_2024 3.39.18 PM
0.39 03_20_2024 3.39.19 PM
0.525 03_20_2024 3.39.19 PM
0.295 03_20_2024 3.39.20 PM
0.74 03_20_2024 3.39.21 PM
0.115 03_20_2024 3.39.22 PM
0.155 03_20_2024 3.39.23 PM
0.12 03_20_2024 3.39.23 PM
0.09 03_20_2024 3.39.24 PM
0.4 03_20_2024 3.39.25 PM
0.09 03_20_2024 3.39.26 PM
0.72 03_20_2024 3.39.26 PM
0.675 03_20_2024 3.39.27 PM
0.125 03_20_2024 3.39.28 PM
0.11 03_20_2024 3.39.29 PM
0.23 03_20_2024 3.39.30 PM
0.13 03_20_2024 3.39.30 PM
0.695 03_20_2024 3.39.31 PM
0.43 03_20_2024 3.39.32 PM
0.56 03_20_2024 3.39.33 PM
0.675 03_20_2024 3.39.33 PM
0.53 03_20_2024 3.39.34 PM
0.66 03_20_2024 3.39.35 PM
0.49 03_20_2024 3.39.36 PM

0.425	03_20_2024	3.39.36 PM
0.225	03_20_2024	3.39.37 PM
0.6	03_20_2024	3.39.38 PM
0.255	03_20_2024	3.39.39 PM
0.175	03_20_2024	3.39.40 PM
0.355	03_20_2024	3.39.40 PM
0.45	03_20_2024	3.39.41 PM
0.32	03_20_2024	3.39.42 PM
0.105	03_20_2024	3.39.43 PM
0.505	03_20_2024	3.39.44 PM
0.385	03_20_2024	3.39.45 PM
0.185	03_20_2024	3.39.45 PM
0.625	03_20_2024	3.39.46 PM
0.68	03_20_2024	3.39.47 PM
0.65	03_20_2024	3.39.48 PM
0.31	03_20_2024	3.39.49 PM
0.29	03_20_2024	3.39.50 PM
0.385	03_20_2024	3.39.51 PM
0.305	03_20_2024	3.39.59 PM
0.495	03_20_2024	3.40.02 PM
0.4	03_20_2024	3.40.03 PM
0.375	03_20_2024	3.40.04 PM
0.52	03_20_2024	3.40.09 PM
0.705	03_20_2024	3.40.11 PM
0.595	03_20_2024	3.40.13 PM
0.45	03_20_2024	3.40.13 PM
0.225	03_20_2024	3.40.15 PM
0.565	03_20_2024	3.40.15 PM
0.295	03_20_2024	3.40.16 PM
0.66	03_20_2024	3.40.17 PM
0.085	03_20_2024	3.40.18 PM
0.12	03_20_2024	3.40.20 PM
0.6	03_20_2024	3.40.21 PM
0.37	03_20_2024	3.40.22 PM
0.735	03_20_2024	3.40.23 PM
0.33	03_20_2024	3.40.24 PM
0.66	03_20_2024	3.40.24 PM
0.68	03_20_2024	3.40.25 PM
0.645	03_20_2024	3.40.26 PM
0.215	03_20_2024	3.40.27 PM
0.55	03_20_2024	3.40.28 PM
0.5	03_20_2024	3.40.29 PM
0.71	03_20_2024	3.40.29 PM

0.65 03_20_2024 3.40.30 PM
0.77 03_20_2024 3.40.31 PM
0.445 03_20_2024 3.40.32 PM
0.615 03_20_2024 3.40.33 PM
0.34 03_20_2024 3.40.34 PM
0.185 03_20_2024 3.40.35 PM
0.255 03_20_2024 3.40.35 PM
0.735 03_20_2024 3.40.36 PM
0.705 03_20_2024 3.40.37 PM
0.345 03_20_2024 3.40.38 PM
0.285 03_20_2024 3.40.39 PM
0.44 03_20_2024 3.40.40 PM
0.18 03_20_2024 3.40.41 PM
0.645 03_20_2024 3.40.41 PM
0.24 03_20_2024 3.40.42 PM
0.605 03_20_2024 3.40.43 PM
0.655 03_20_2024 3.40.45 PM
0.555 03_20_2024 3.40.46 PM
0.325 03_20_2024 3.40.47 PM
0.39 03_20_2024 3.40.48 PM
0.59 03_20_2024 3.40.48 PM
0.525 03_20_2024 3.40.49 PM
0.385 03_20_2024 3.40.50 PM
0.605 03_20_2024 3.40.51 PM
0.58 03_20_2024 3.40.52 PM
0.505 03_20_2024 3.40.53 PM
0.665 03_20_2024 3.40.54 PM
0.595 03_20_2024 3.40.54 PM
0.295 03_20_2024 3.40.55 PM
0.53 03_20_2024 3.40.56 PM
0.405 03_20_2024 3.40.57 PM
0.275 03_20_2024 3.40.58 PM
0.245 03_20_2024 3.40.59 PM
0.685 03_20_2024 3.41.00 PM
0.625 03_20_2024 3.41.00 PM
0.59 03_20_2024 3.41.01 PM
0.72 03_20_2024 3.41.02 PM
0.67 03_20_2024 3.41.03 PM
0.315 03_20_2024 3.41.04 PM
0.585 03_20_2024 3.41.05 PM
0.245 03_20_2024 3.41.05 PM
0.63 03_20_2024 3.41.06 PM
0.51 03_20_2024 3.41.07 PM

0.585 03_20_2024 3.41.08 PM
0.48 03_20_2024 3.41.09 PM
0.315 03_20_2024 3.41.10 PM
0.52 03_20_2024 3.41.11 PM
0.08 03_20_2024 3.56.47 PM
0.05 03_20_2024 3.56.48 PM
0.045 03_20_2024 3.56.48 PM
0.045 03_20_2024 3.56.49 PM
0.085 03_20_2024 3.56.50 PM
0.065 03_20_2024 3.56.51 PM
0.04 03_20_2024 3.56.51 PM
0.04 03_20_2024 3.56.52 PM
0.06 03_20_2024 3.56.53 PM
0.055 03_20_2024 3.56.54 PM
0.045 03_20_2024 3.56.55 PM
0.245 03_20_2024 3.56.55 PM
0.055 03_20_2024 3.56.56 PM
0.035 03_20_2024 3.56.57 PM
0.035 03_20_2024 3.56.58 PM
0.2 03_20_2024 3.56.58 PM
0.355 03_20_2024 3.56.59 PM
0.035 03_20_2024 3.57.00 PM
0.05 03_20_2024 3.57.01 PM
0.055 03_20_2024 3.57.01 PM
0.11 03_20_2024 3.57.02 PM
0.035 03_20_2024 3.57.03 PM
0.08 03_20_2024 3.57.04 PM
0.695 03_20_2024 3.57.05 PM
0.06 03_20_2024 3.57.05 PM
0.04 03_20_2024 3.57.06 PM
0.16 03_20_2024 3.57.07 PM
0.03 03_20_2024 3.57.08 PM
0.055 03_20_2024 3.57.08 PM
0.725 03_20_2024 3.57.09 PM
0.42 03_20_2024 3.57.10 PM
0.57 03_20_2024 3.57.11 PM
0.28 03_20_2024 3.57.11 PM
0.755 03_20_2024 3.57.12 PM
0.33 03_20_2024 3.57.13 PM
0.26 03_20_2024 3.57.13 PM
0.74 03_20_2024 3.57.14 PM
0.045 03_20_2024 3.57.15 PM
0.25 03_20_2024 3.57.16 PM

0.725 03_20_2024 3.57.16 PM
0.755 03_20_2024 3.57.17 PM
0.405 03_20_2024 3.57.18 PM
0.59 03_20_2024 3.57.19 PM
0.71 03_20_2024 3.57.20 PM
0.185 03_20_2024 3.57.21 PM

Oxygen Sensor 2 Voltage

0 03_20_2024 3.34.04 PM
0 03_20_2024 3.34.05 PM
0 03_20_2024 3.34.06 PM
0 03_20_2024 3.34.07 PM
0 03_20_2024 3.34.07 PM
0 03_20_2024 3.34.08 PM
0 03_20_2024 3.34.09 PM
0 03_20_2024 3.34.10 PM
0 03_20_2024 3.34.10 PM
0 03_20_2024 3.34.11 PM
0 03_20_2024 3.34.12 PM
0 03_20_2024 3.34.13 PM
0 03_20_2024 3.34.14 PM
0 03_20_2024 3.34.14 PM
0 03_20_2024 3.34.15 PM
0 03_20_2024 3.34.16 PM
0 03_20_2024 3.34.17 PM
0 03_20_2024 3.34.18 PM
0 03_20_2024 3.34.18 PM
0 03_20_2024 3.34.19 PM
0 03_20_2024 3.34.20 PM
0 03_20_2024 3.34.21 PM
0 03_20_2024 3.34.21 PM
0 03_20_2024 3.34.22 PM
0 03_20_2024 3.34.23 PM
0 03_20_2024 3.34.24 PM
0 03_20_2024 3.34.25 PM
0 03_20_2024 3.34.25 PM
0 03_20_2024 3.34.26 PM
0 03_20_2024 3.34.27 PM
0 03_20_2024 3.34.28 PM
0 03_20_2024 3.34.29 PM
0 03_20_2024 3.34.29 PM
0 03_20_2024 3.34.30 PM
0 03_20_2024 3.34.31 PM
0 03_20_2024 3.34.32 PM
0 03_20_2024 3.34.33 PM

0 03_20_2024 3.34.33 PM
0 03_20_2024 3.34.34 PM
0 03_20_2024 3.34.35 PM
0 03_20_2024 3.34.36 PM
0 03_20_2024 3.34.37 PM
0 03_20_2024 3.34.37 PM
0 03_20_2024 3.34.38 PM
0 03_20_2024 3.34.39 PM
0 03_20_2024 3.34.40 PM
0 03_20_2024 3.34.40 PM
0 03_20_2024 3.34.41 PM
0 03_20_2024 3.34.42 PM
0 03_20_2024 3.34.42 PM
0 03_20_2024 3.34.43 PM
0 03_20_2024 3.34.44 PM
0 03_20_2024 3.34.45 PM
0 03_20_2024 3.34.46 PM
0 03_20_2024 3.34.46 PM
0 03_20_2024 3.34.47 PM
0 03_20_2024 3.34.48 PM
0 03_20_2024 3.34.49 PM
0 03_20_2024 3.34.50 PM
0 03_20_2024 3.34.50 PM
0 03_20_2024 3.34.51 PM
0 03_20_2024 3.34.52 PM
0 03_20_2024 3.34.53 PM
0 03_20_2024 3.34.53 PM
0 03_20_2024 3.34.54 PM
0 03_20_2024 3.34.55 PM
0.005 03_20_2024 3.34.56 PM
0.005 03_20_2024 3.34.56 PM
0.01 03_20_2024 3.34.57 PM
0.02 03_20_2024 3.34.58 PM
0.03 03_20_2024 3.34.59 PM
0.05 03_20_2024 3.34.59 PM
0.075 03_20_2024 3.35.00 PM
0.115 03_20_2024 3.35.01 PM
0.16 03_20_2024 3.35.01 PM
0.215 03_20_2024 3.35.02 PM
0.27 03_20_2024 3.35.03 PM
0.335 03_20_2024 3.35.04 PM
0.39 03_20_2024 3.35.04 PM
0.46 03_20_2024 3.35.05 PM

0.505 03_20_2024 3.35.06 PM
0.545 03_20_2024 3.35.07 PM
0.585 03_20_2024 3.35.07 PM
0.62 03_20_2024 3.35.08 PM
0.65 03_20_2024 3.35.09 PM
0.665 03_20_2024 3.35.09 PM
0.675 03_20_2024 3.35.10 PM
0.685 03_20_2024 3.35.11 PM
0.675 03_20_2024 3.35.12 PM
0.705 03_20_2024 3.35.13 PM
0.68 03_20_2024 3.35.13 PM
0.365 03_20_2024 3.35.14 PM
0.305 03_20_2024 3.35.15 PM
0.25 03_20_2024 3.35.15 PM
0.26 03_20_2024 3.35.16 PM
0.545 03_20_2024 3.35.17 PM
0.765 03_20_2024 3.35.18 PM
0.78 03_20_2024 3.35.18 PM
0.78 03_20_2024 3.35.19 PM
0.78 03_20_2024 3.35.20 PM
0.68 03_20_2024 3.35.21 PM
0.405 03_20_2024 3.35.21 PM
0.765 03_20_2024 3.35.22 PM
0.8 03_20_2024 3.35.23 PM
0.8 03_20_2024 3.35.24 PM
0.825 03_20_2024 3.35.24 PM
0.8 03_20_2024 3.35.25 PM
0.8 03_20_2024 3.35.26 PM
0.795 03_20_2024 3.35.27 PM
0.79 03_20_2024 3.35.27 PM
0.785 03_20_2024 3.35.28 PM
0.79 03_20_2024 3.35.29 PM
0.77 03_20_2024 3.35.30 PM
0.805 03_20_2024 3.35.30 PM
0.785 03_20_2024 3.35.31 PM
0.745 03_20_2024 3.35.32 PM
0.68 03_20_2024 3.35.33 PM
0.69 03_20_2024 3.35.33 PM
0.75 03_20_2024 3.35.34 PM
0.77 03_20_2024 3.35.35 PM
0.79 03_20_2024 3.35.36 PM
0.83 03_20_2024 3.35.36 PM
0.81 03_20_2024 3.35.37 PM

0.835 03_20_2024 3.35.38 PM
0.85 03_20_2024 3.35.38 PM
0.825 03_20_2024 3.35.39 PM
0.83 03_20_2024 3.35.40 PM
0.83 03_20_2024 3.35.40 PM
0.825 03_20_2024 3.35.41 PM
0.865 03_20_2024 3.35.42 PM
0.85 03_20_2024 3.35.43 PM
0.845 03_20_2024 3.35.43 PM
0.83 03_20_2024 3.35.44 PM
0.835 03_20_2024 3.35.45 PM
0.835 03_20_2024 3.35.46 PM
0.83 03_20_2024 3.35.46 PM
0.84 03_20_2024 3.35.47 PM
0.83 03_20_2024 3.35.48 PM
0.825 03_20_2024 3.35.48 PM
0.84 03_20_2024 3.35.49 PM
0.83 03_20_2024 3.35.50 PM
0.83 03_20_2024 3.35.51 PM
0.82 03_20_2024 3.35.51 PM
0.81 03_20_2024 3.35.52 PM
0.805 03_20_2024 3.35.53 PM
0.805 03_20_2024 3.35.53 PM
0.805 03_20_2024 3.35.54 PM
0.82 03_20_2024 3.35.55 PM
0.81 03_20_2024 3.35.56 PM
0.805 03_20_2024 3.35.56 PM
0.82 03_20_2024 3.35.57 PM
0.81 03_20_2024 3.35.58 PM
0.81 03_20_2024 3.35.58 PM
0.805 03_20_2024 3.35.59 PM
0.805 03_20_2024 3.36.00 PM
0.805 03_20_2024 3.36.01 PM
0.815 03_20_2024 3.36.01 PM
0.82 03_20_2024 3.36.02 PM
0.805 03_20_2024 3.36.03 PM
0.82 03_20_2024 3.36.04 PM
0.81 03_20_2024 3.36.04 PM
0.795 03_20_2024 3.36.05 PM
0.81 03_20_2024 3.36.06 PM
0.795 03_20_2024 3.36.07 PM
0.755 03_20_2024 3.36.07 PM
0.755 03_20_2024 3.36.08 PM

0.745 03_20_2024 3.36.09 PM
0.55 03_20_2024 3.36.09 PM
0.65 03_20_2024 3.36.10 PM
0.73 03_20_2024 3.36.11 PM
0.705 03_20_2024 3.36.11 PM
0.585 03_20_2024 3.36.12 PM
0.605 03_20_2024 3.36.13 PM
0.565 03_20_2024 3.36.13 PM
0.77 03_20_2024 3.36.14 PM
0.8 03_20_2024 3.36.15 PM
0.76 03_20_2024 3.36.16 PM
0.75 03_20_2024 3.36.17 PM
0.695 03_20_2024 3.36.17 PM
0.78 03_20_2024 3.36.18 PM
0.79 03_20_2024 3.36.19 PM
0.8 03_20_2024 3.36.19 PM
0.83 03_20_2024 3.36.20 PM
0.825 03_20_2024 3.36.21 PM
0.83 03_20_2024 3.36.22 PM
0.83 03_20_2024 3.36.22 PM
0.825 03_20_2024 3.36.23 PM
0.82 03_20_2024 3.36.24 PM
0.82 03_20_2024 3.36.25 PM
0.82 03_20_2024 3.36.25 PM
0.83 03_20_2024 3.36.26 PM
0.84 03_20_2024 3.36.27 PM
0.83 03_20_2024 3.36.28 PM
0.825 03_20_2024 3.36.28 PM
0.825 03_20_2024 3.36.29 PM
0.82 03_20_2024 3.36.30 PM
0.82 03_20_2024 3.36.31 PM
0.805 03_20_2024 3.36.31 PM
0.81 03_20_2024 3.36.32 PM
0.805 03_20_2024 3.36.33 PM
0.79 03_20_2024 3.36.34 PM
0.79 03_20_2024 3.36.34 PM
0.79 03_20_2024 3.36.35 PM
0.8 03_20_2024 3.36.36 PM
0.805 03_20_2024 3.36.37 PM
0.73 03_20_2024 3.36.37 PM
0.805 03_20_2024 3.36.38 PM
0.815 03_20_2024 3.36.39 PM
0.82 03_20_2024 3.36.40 PM

0.825 03_20_2024 3.36.40 PM
0.845 03_20_2024 3.36.41 PM
0.835 03_20_2024 3.36.42 PM
0.825 03_20_2024 3.36.43 PM
0.815 03_20_2024 3.36.43 PM
0.77 03_20_2024 3.36.44 PM
0.8 03_20_2024 3.36.45 PM
0.83 03_20_2024 3.36.45 PM
0.835 03_20_2024 3.36.46 PM
0.835 03_20_2024 3.36.47 PM
0.83 03_20_2024 3.36.48 PM
0.825 03_20_2024 3.36.48 PM
0.82 03_20_2024 3.36.49 PM
0.8 03_20_2024 3.36.50 PM
0.795 03_20_2024 3.36.51 PM
0.785 03_20_2024 3.36.51 PM
0.79 03_20_2024 3.36.52 PM
0.81 03_20_2024 3.36.53 PM
0.8 03_20_2024 3.36.53 PM
0.83 03_20_2024 3.36.54 PM
0.825 03_20_2024 3.36.55 PM
0.81 03_20_2024 3.36.56 PM
0.795 03_20_2024 3.36.56 PM
0.785 03_20_2024 3.36.57 PM
0.8 03_20_2024 3.36.58 PM
0.82 03_20_2024 3.36.59 PM
0.815 03_20_2024 3.36.59 PM
0.8 03_20_2024 3.37.00 PM
0.805 03_20_2024 3.37.01 PM
0.8 03_20_2024 3.37.01 PM
0.805 03_20_2024 3.37.02 PM
0.81 03_20_2024 3.37.03 PM
0.84 03_20_2024 3.37.04 PM
0.83 03_20_2024 3.37.04 PM
0.83 03_20_2024 3.37.05 PM
0.82 03_20_2024 3.37.06 PM
0.835 03_20_2024 3.37.06 PM
0.82 03_20_2024 3.37.07 PM
0.81 03_20_2024 3.37.08 PM
0.825 03_20_2024 3.37.09 PM
0.81 03_20_2024 3.37.09 PM
0.805 03_20_2024 3.37.10 PM
0.8 03_20_2024 3.37.11 PM

0.8 03_20_2024 3.37.12 PM
0.79 03_20_2024 3.37.12 PM
0.775 03_20_2024 3.37.13 PM
0.765 03_20_2024 3.37.14 PM
0.77 03_20_2024 3.37.14 PM
0.785 03_20_2024 3.37.15 PM
0.83 03_20_2024 3.37.16 PM
0.835 03_20_2024 3.37.16 PM
0.875 03_20_2024 3.37.17 PM
0.9 03_20_2024 3.37.18 PM
0.92 03_20_2024 3.37.19 PM
0.94 03_20_2024 3.37.20 PM
0.94 03_20_2024 3.37.20 PM
0.94 03_20_2024 3.37.21 PM
0.94 03_20_2024 3.37.22 PM
0.94 03_20_2024 3.37.22 PM
0.94 03_20_2024 3.37.23 PM
0.935 03_20_2024 3.37.24 PM
0.94 03_20_2024 3.37.25 PM
0.94 03_20_2024 3.37.25 PM
0.94 03_20_2024 3.37.26 PM
0.94 03_20_2024 3.37.27 PM
0.94 03_20_2024 3.37.28 PM
0.935 03_20_2024 3.37.28 PM
0.94 03_20_2024 3.37.29 PM
0.945 03_20_2024 3.37.30 PM
0.945 03_20_2024 3.37.31 PM
0.945 03_20_2024 3.37.31 PM
0.95 03_20_2024 3.37.32 PM
0.945 03_20_2024 3.37.33 PM
0.94 03_20_2024 3.37.33 PM
0.95 03_20_2024 3.37.34 PM
0.905 03_20_2024 3.37.35 PM
0.87 03_20_2024 3.37.36 PM
0.845 03_20_2024 3.37.36 PM
0.815 03_20_2024 3.37.37 PM
0.835 03_20_2024 3.37.38 PM
0.81 03_20_2024 3.37.39 PM
0.805 03_20_2024 3.37.39 PM
0.81 03_20_2024 3.37.40 PM
0.8 03_20_2024 3.37.41 PM
0.845 03_20_2024 3.37.42 PM
0.845 03_20_2024 3.37.43 PM

0.855 03_20_2024 3.37.43 PM
0.875 03_20_2024 3.37.44 PM
0.92 03_20_2024 3.37.45 PM
0.945 03_20_2024 3.37.46 PM
0.94 03_20_2024 3.37.46 PM
0.94 03_20_2024 3.37.47 PM
0.95 03_20_2024 3.37.48 PM
0.94 03_20_2024 3.37.49 PM
0.94 03_20_2024 3.37.50 PM
0.945 03_20_2024 3.37.50 PM
0.94 03_20_2024 3.37.51 PM
0.945 03_20_2024 3.37.52 PM
0.7 03_20_2024 3.37.53 PM
0.77 03_20_2024 3.37.54 PM
0.77 03_20_2024 3.37.54 PM
0.76 03_20_2024 3.37.55 PM
0.72 03_20_2024 3.37.56 PM
0.825 03_20_2024 3.37.57 PM
0.885 03_20_2024 3.37.57 PM
0.905 03_20_2024 3.37.58 PM
0.91 03_20_2024 3.37.59 PM
0.905 03_20_2024 3.38.00 PM
0.9 03_20_2024 3.38.01 PM
0.895 03_20_2024 3.38.02 PM
0.895 03_20_2024 3.38.03 PM
0.9 03_20_2024 3.38.04 PM
0.895 03_20_2024 3.38.05 PM
0.895 03_20_2024 3.38.06 PM
0.89 03_20_2024 3.38.06 PM
0.885 03_20_2024 3.38.07 PM
0.885 03_20_2024 3.38.08 PM
0.885 03_20_2024 3.38.09 PM
0.89 03_20_2024 3.38.10 PM
0.895 03_20_2024 3.38.11 PM
0.89 03_20_2024 3.38.12 PM
0.92 03_20_2024 3.38.13 PM
0.89 03_20_2024 3.38.14 PM
0.89 03_20_2024 3.38.15 PM
0.86 03_20_2024 3.38.15 PM
0.77 03_20_2024 3.38.16 PM
0.755 03_20_2024 3.38.17 PM
0.72 03_20_2024 3.38.18 PM
0.765 03_20_2024 3.38.19 PM

0.78 03_20_2024 3.38.20 PM
0.77 03_20_2024 3.38.20 PM
0.78 03_20_2024 3.38.21 PM
0.745 03_20_2024 3.38.22 PM
0.73 03_20_2024 3.38.23 PM
0.715 03_20_2024 3.38.23 PM
0.71 03_20_2024 3.38.24 PM
0.665 03_20_2024 3.38.25 PM
0.7 03_20_2024 3.38.26 PM
0.705 03_20_2024 3.38.27 PM
0.695 03_20_2024 3.38.27 PM
0.63 03_20_2024 3.38.28 PM
0.685 03_20_2024 3.38.29 PM
0.71 03_20_2024 3.38.30 PM
0.765 03_20_2024 3.38.30 PM
0.8 03_20_2024 3.38.31 PM
0.805 03_20_2024 3.38.32 PM
0.805 03_20_2024 3.38.33 PM
0.795 03_20_2024 3.38.33 PM
0.77 03_20_2024 3.38.34 PM
0.74 03_20_2024 3.38.35 PM
0.72 03_20_2024 3.38.36 PM
0.69 03_20_2024 3.38.37 PM
0.69 03_20_2024 3.38.37 PM
0.645 03_20_2024 3.38.38 PM
0.45 03_20_2024 3.38.39 PM
0.26 03_20_2024 3.38.40 PM
0.115 03_20_2024 3.38.40 PM
0.18 03_20_2024 3.38.41 PM
0.11 03_20_2024 3.38.42 PM
0.13 03_20_2024 3.38.43 PM
0.145 03_20_2024 3.38.44 PM
0.15 03_20_2024 3.38.44 PM
0.15 03_20_2024 3.38.45 PM
0.165 03_20_2024 3.38.46 PM
0.17 03_20_2024 3.38.47 PM
0.12 03_20_2024 3.38.47 PM
0.115 03_20_2024 3.38.48 PM
0.17 03_20_2024 3.38.49 PM
0.11 03_20_2024 3.38.50 PM
0.145 03_20_2024 3.38.50 PM
0.09 03_20_2024 3.38.51 PM
0.105 03_20_2024 3.38.52 PM

0.14 03_20_2024 3.38.53 PM
0.185 03_20_2024 3.38.54 PM
0.29 03_20_2024 3.38.54 PM
0.395 03_20_2024 3.38.55 PM
0.615 03_20_2024 3.38.56 PM
0.73 03_20_2024 3.38.57 PM
0.695 03_20_2024 3.39.03 PM
0.695 03_20_2024 3.39.04 PM
0.69 03_20_2024 3.39.04 PM
0.73 03_20_2024 3.39.05 PM
0.72 03_20_2024 3.39.06 PM
0.7 03_20_2024 3.39.07 PM
0.705 03_20_2024 3.39.08 PM
0.73 03_20_2024 3.39.08 PM
0.73 03_20_2024 3.39.09 PM
0.735 03_20_2024 3.39.10 PM
0.715 03_20_2024 3.39.11 PM
0.675 03_20_2024 3.39.11 PM
0.61 03_20_2024 3.39.12 PM
0.695 03_20_2024 3.39.13 PM
0.7 03_20_2024 3.39.14 PM
0.69 03_20_2024 3.39.15 PM
0.69 03_20_2024 3.39.15 PM
0.705 03_20_2024 3.39.16 PM
0.69 03_20_2024 3.39.17 PM
0.7 03_20_2024 3.39.18 PM
0.705 03_20_2024 3.39.19 PM
0.695 03_20_2024 3.39.20 PM
0.655 03_20_2024 3.39.20 PM
0.695 03_20_2024 3.39.21 PM
0.695 03_20_2024 3.39.22 PM
0.715 03_20_2024 3.39.23 PM
0.72 03_20_2024 3.39.24 PM
0.715 03_20_2024 3.39.24 PM
0.685 03_20_2024 3.39.25 PM
0.68 03_20_2024 3.39.26 PM
0.69 03_20_2024 3.39.27 PM
0.69 03_20_2024 3.39.28 PM
0.7 03_20_2024 3.39.28 PM
0.71 03_20_2024 3.39.29 PM
0.71 03_20_2024 3.39.30 PM
0.685 03_20_2024 3.39.31 PM
0.65 03_20_2024 3.39.31 PM

0.655 03_20_2024 3.39.32 PM
0.665 03_20_2024 3.39.33 PM
0.695 03_20_2024 3.39.34 PM
0.69 03_20_2024 3.39.34 PM
0.72 03_20_2024 3.39.35 PM
0.7 03_20_2024 3.39.36 PM
0.7 03_20_2024 3.39.37 PM
0.715 03_20_2024 3.39.38 PM
0.7 03_20_2024 3.39.38 PM
0.695 03_20_2024 3.39.39 PM
0.69 03_20_2024 3.39.40 PM
0.655 03_20_2024 3.39.41 PM
0.695 03_20_2024 3.39.42 PM
0.71 03_20_2024 3.39.42 PM
0.7 03_20_2024 3.39.43 PM
0.7 03_20_2024 3.39.44 PM
0.705 03_20_2024 3.39.45 PM
0.68 03_20_2024 3.39.46 PM
0.685 03_20_2024 3.39.46 PM
0.715 03_20_2024 3.39.47 PM
0.73 03_20_2024 3.39.48 PM
0.7 03_20_2024 3.39.49 PM
0.67 03_20_2024 3.39.50 PM
0.705 03_20_2024 3.39.53 PM
0.215 03_20_2024 3.40.00 PM
0.665 03_20_2024 3.40.02 PM
0.72 03_20_2024 3.40.03 PM
0.685 03_20_2024 3.40.10 PM
0.705 03_20_2024 3.40.11 PM
0.69 03_20_2024 3.40.13 PM
0.66 03_20_2024 3.40.14 PM
0.7 03_20_2024 3.40.15 PM
0.69 03_20_2024 3.40.16 PM
0.705 03_20_2024 3.40.16 PM
0.69 03_20_2024 3.40.17 PM
0.685 03_20_2024 3.40.19 PM
0.68 03_20_2024 3.40.20 PM
0.7 03_20_2024 3.40.21 PM
0.69 03_20_2024 3.40.22 PM
0.71 03_20_2024 3.40.23 PM
0.615 03_20_2024 3.40.24 PM
0.675 03_20_2024 3.40.25 PM
0.68 03_20_2024 3.40.26 PM

0.71 03_20_2024 3.40.26 PM
0.725 03_20_2024 3.40.27 PM
0.72 03_20_2024 3.40.28 PM
0.71 03_20_2024 3.40.29 PM
0.725 03_20_2024 3.40.30 PM
0.765 03_20_2024 3.40.31 PM
0.795 03_20_2024 3.40.31 PM
0.76 03_20_2024 3.40.32 PM
0.76 03_20_2024 3.40.33 PM
0.74 03_20_2024 3.40.34 PM
0.675 03_20_2024 3.40.35 PM
0.42 03_20_2024 3.40.36 PM
0.67 03_20_2024 3.40.37 PM
0.7 03_20_2024 3.40.37 PM
0.71 03_20_2024 3.40.38 PM
0.645 03_20_2024 3.40.39 PM
0.68 03_20_2024 3.40.40 PM
0.705 03_20_2024 3.40.41 PM
0.68 03_20_2024 3.40.42 PM
0.7 03_20_2024 3.40.43 PM
0.705 03_20_2024 3.40.43 PM
0.68 03_20_2024 3.40.45 PM
0.7 03_20_2024 3.40.46 PM
0.635 03_20_2024 3.40.47 PM
0.495 03_20_2024 3.40.48 PM
0.205 03_20_2024 3.40.49 PM
0.15 03_20_2024 3.40.50 PM
0.185 03_20_2024 3.40.50 PM
0.225 03_20_2024 3.40.51 PM
0.295 03_20_2024 3.40.52 PM
0.49 03_20_2024 3.40.53 PM
0.7 03_20_2024 3.40.54 PM
0.695 03_20_2024 3.40.55 PM
0.7 03_20_2024 3.40.56 PM
0.695 03_20_2024 3.40.57 PM
0.675 03_20_2024 3.40.57 PM
0.63 03_20_2024 3.40.58 PM
0.435 03_20_2024 3.40.59 PM
0.28 03_20_2024 3.41.00 PM
0.34 03_20_2024 3.41.01 PM
0.65 03_20_2024 3.41.02 PM
0.68 03_20_2024 3.41.02 PM
0.7 03_20_2024 3.41.03 PM

0.695 03_20_2024 3.41.04 PM
0.695 03_20_2024 3.41.05 PM
0.715 03_20_2024 3.41.06 PM
0.73 03_20_2024 3.41.07 PM
0.735 03_20_2024 3.41.07 PM
0.735 03_20_2024 3.41.08 PM
0.715 03_20_2024 3.41.09 PM
0.695 03_20_2024 3.41.10 PM
0.71 03_20_2024 3.41.11 PM
0.835 03_20_2024 3.56.47 PM
0.83 03_20_2024 3.56.48 PM
0.82 03_20_2024 3.56.49 PM
0.815 03_20_2024 3.56.49 PM
0.81 03_20_2024 3.56.50 PM
0.805 03_20_2024 3.56.51 PM
0.8 03_20_2024 3.56.52 PM
0.795 03_20_2024 3.56.52 PM
0.79 03_20_2024 3.56.53 PM
0.79 03_20_2024 3.56.54 PM
0.785 03_20_2024 3.56.55 PM
0.785 03_20_2024 3.56.56 PM
0.78 03_20_2024 3.56.56 PM
0.78 03_20_2024 3.56.57 PM
0.78 03_20_2024 3.56.58 PM
0.78 03_20_2024 3.56.59 PM
0.775 03_20_2024 3.56.59 PM
0.775 03_20_2024 3.57.00 PM
0.775 03_20_2024 3.57.01 PM
0.775 03_20_2024 3.57.02 PM
0.775 03_20_2024 3.57.02 PM
0.775 03_20_2024 3.57.03 PM
0.775 03_20_2024 3.57.04 PM
0.78 03_20_2024 3.57.05 PM
0.785 03_20_2024 3.57.06 PM
0.785 03_20_2024 3.57.06 PM
0.785 03_20_2024 3.57.07 PM
0.775 03_20_2024 3.57.08 PM
0.325 03_20_2024 3.57.09 PM
0.3 03_20_2024 3.57.09 PM
0.335 03_20_2024 3.57.10 PM
0.665 03_20_2024 3.57.11 PM
0.725 03_20_2024 3.57.12 PM
0.78 03_20_2024 3.57.12 PM

MAF Rate

0.79	03_20_2024	3.57.13 PM
0.785	03_20_2024	3.57.14 PM
0.815	03_20_2024	3.57.14 PM
0.81	03_20_2024	3.57.15 PM
0.75	03_20_2024	3.57.16 PM
0.775	03_20_2024	3.57.17 PM
0.78	03_20_2024	3.57.18 PM
0.785	03_20_2024	3.57.18 PM
0.785	03_20_2024	3.57.19 PM
0.79	03_20_2024	3.57.20 PM
0.77	03_20_2024	3.57.21 PM
13.12	03_20_2024	3.34.04 PM
13.28	03_20_2024	3.34.05 PM
13.28	03_20_2024	3.34.06 PM
13.51	03_20_2024	3.34.07 PM
13.06	03_20_2024	3.34.08 PM
13.51	03_20_2024	3.34.08 PM
13.51	03_20_2024	3.34.09 PM
13.34	03_20_2024	3.34.10 PM
13.34	03_20_2024	3.34.11 PM
13.45	03_20_2024	3.34.11 PM
13.45	03_20_2024	3.34.12 PM
13.28	03_20_2024	3.34.13 PM
12.79	03_20_2024	3.34.14 PM
20.87	03_20_2024	3.34.15 PM
21.81	03_20_2024	3.34.15 PM
13.06	03_20_2024	3.34.16 PM
13.01	03_20_2024	3.34.17 PM
13.28	03_20_2024	3.34.18 PM
13.28	03_20_2024	3.34.19 PM
13.12	03_20_2024	3.34.19 PM
13.28	03_20_2024	3.34.20 PM
13.12	03_20_2024	3.34.21 PM
13.12	03_20_2024	3.34.22 PM
13.06	03_20_2024	3.34.23 PM
13.12	03_20_2024	3.34.23 PM
13.01	03_20_2024	3.34.24 PM
13.12	03_20_2024	3.34.25 PM
13.01	03_20_2024	3.34.26 PM
12.9	03_20_2024	3.34.27 PM
12.79	03_20_2024	3.34.27 PM
12.84	03_20_2024	3.34.28 PM
12.9	03_20_2024	3.34.29 PM

12.84 03_20_2024 3.34.30 PM
12.9 03_20_2024 3.34.31 PM
12.84 03_20_2024 3.34.31 PM
12.67 03_20_2024 3.34.32 PM
12.84 03_20_2024 3.34.33 PM
12.9 03_20_2024 3.34.34 PM
12.9 03_20_2024 3.34.34 PM
12.67 03_20_2024 3.34.35 PM
12.84 03_20_2024 3.34.36 PM
12.84 03_20_2024 3.34.37 PM
10.68 03_20_2024 3.34.38 PM
12.67 03_20_2024 3.34.38 PM
17.6 03_20_2024 3.34.39 PM
19.37 03_20_2024 3.34.40 PM
29.73 03_20_2024 3.34.40 PM
38.7 03_20_2024 3.34.41 PM
41.8 03_20_2024 3.34.42 PM
43.74 03_20_2024 3.34.43 PM
41.47 03_20_2024 3.34.44 PM
30.73 03_20_2024 3.34.44 PM
29.62 03_20_2024 3.34.45 PM
40.8 03_20_2024 3.34.46 PM
42.58 03_20_2024 3.34.47 PM
44.4 03_20_2024 3.34.48 PM
27.4 03_20_2024 3.34.48 PM
15.89 03_20_2024 3.34.49 PM
20.54 03_20_2024 3.34.50 PM
25.58 03_20_2024 3.34.51 PM
30.01 03_20_2024 3.34.51 PM
31.83 03_20_2024 3.34.52 PM
31.72 03_20_2024 3.34.53 PM
30.45 03_20_2024 3.34.54 PM
30.12 03_20_2024 3.34.54 PM
28.79 03_20_2024 3.34.55 PM
27.57 03_20_2024 3.34.56 PM
27.4 03_20_2024 3.34.57 PM
27.07 03_20_2024 3.34.57 PM
26.07 03_20_2024 3.34.58 PM
25.58 03_20_2024 3.34.59 PM
24.91 03_20_2024 3.35.00 PM
24.69 03_20_2024 3.35.00 PM
25.02 03_20_2024 3.35.01 PM
24.8 03_20_2024 3.35.02 PM

24.91 03_20_2024 3.35.02 PM
24.91 03_20_2024 3.35.03 PM
24.8 03_20_2024 3.35.04 PM
25.02 03_20_2024 3.35.05 PM
18.66 03_20_2024 3.35.05 PM
15.67 03_20_2024 3.35.06 PM
15 03_20_2024 3.35.07 PM
14.89 03_20_2024 3.35.08 PM
14.39 03_20_2024 3.35.08 PM
14.17 03_20_2024 3.35.09 PM
13.56 03_20_2024 3.35.10 PM
13.12 03_20_2024 3.35.11 PM
12.79 03_20_2024 3.35.11 PM
12.79 03_20_2024 3.35.12 PM
12.84 03_20_2024 3.35.13 PM
12.67 03_20_2024 3.35.14 PM
12.4 03_20_2024 3.35.14 PM
12.62 03_20_2024 3.35.15 PM
12.4 03_20_2024 3.35.16 PM
12.23 03_20_2024 3.35.16 PM
12.34 03_20_2024 3.35.17 PM
12.34 03_20_2024 3.35.18 PM
12.34 03_20_2024 3.35.19 PM
12.23 03_20_2024 3.35.19 PM
12.4 03_20_2024 3.35.20 PM
12.4 03_20_2024 3.35.21 PM
12.12 03_20_2024 3.35.21 PM
12.23 03_20_2024 3.35.22 PM
12.01 03_20_2024 3.35.23 PM
37.04 03_20_2024 3.35.24 PM
41.8 03_20_2024 3.35.25 PM
39.64 03_20_2024 3.35.25 PM
39.64 03_20_2024 3.35.26 PM
33.61 03_20_2024 3.35.27 PM
34.05 03_20_2024 3.35.28 PM
39.31 03_20_2024 3.35.28 PM
36.48 03_20_2024 3.35.29 PM
30.23 03_20_2024 3.35.30 PM
23.75 03_20_2024 3.35.31 PM
22.42 03_20_2024 3.35.31 PM
22.53 03_20_2024 3.35.32 PM
22.75 03_20_2024 3.35.33 PM
22.75 03_20_2024 3.35.34 PM

23.14 03_20_2024 3.35.34 PM
23.25 03_20_2024 3.35.35 PM
23.75 03_20_2024 3.35.36 PM
23.47 03_20_2024 3.35.36 PM
23.25 03_20_2024 3.35.37 PM
23.36 03_20_2024 3.35.38 PM
23.25 03_20_2024 3.35.39 PM
23.14 03_20_2024 3.35.39 PM
21.7 03_20_2024 3.35.40 PM
19.1 03_20_2024 3.35.41 PM
18.99 03_20_2024 3.35.41 PM
18.93 03_20_2024 3.35.42 PM
18.82 03_20_2024 3.35.43 PM
18.05 03_20_2024 3.35.43 PM
16.27 03_20_2024 3.35.44 PM
16.27 03_20_2024 3.35.45 PM
15.83 03_20_2024 3.35.46 PM
15.83 03_20_2024 3.35.46 PM
16.16 03_20_2024 3.35.47 PM
15.5 03_20_2024 3.35.48 PM
15.22 03_20_2024 3.35.49 PM
14.83 03_20_2024 3.35.49 PM
15.17 03_20_2024 3.35.50 PM
15.06 03_20_2024 3.35.51 PM
14.89 03_20_2024 3.35.52 PM
14.67 03_20_2024 3.35.52 PM
14.89 03_20_2024 3.35.53 PM
15 03_20_2024 3.35.54 PM
14.89 03_20_2024 3.35.54 PM
14.72 03_20_2024 3.35.55 PM
14.83 03_20_2024 3.35.56 PM
14.89 03_20_2024 3.35.57 PM
14.83 03_20_2024 3.35.57 PM
14.83 03_20_2024 3.35.58 PM
14.83 03_20_2024 3.35.59 PM
14.83 03_20_2024 3.35.59 PM
14.61 03_20_2024 3.36.00 PM
14.72 03_20_2024 3.36.01 PM
14.72 03_20_2024 3.36.02 PM
14.61 03_20_2024 3.36.02 PM
14.61 03_20_2024 3.36.03 PM
14.67 03_20_2024 3.36.04 PM
14.5 03_20_2024 3.36.04 PM

14.61 03_20_2024 3.36.05 PM
14.5 03_20_2024 3.36.06 PM
14.39 03_20_2024 3.36.07 PM
14.23 03_20_2024 3.36.07 PM
14.45 03_20_2024 3.36.08 PM
14.06 03_20_2024 3.36.09 PM
14.28 03_20_2024 3.36.09 PM
14.06 03_20_2024 3.36.10 PM
13.51 03_20_2024 3.36.11 PM
12.84 03_20_2024 3.36.12 PM
11.9 03_20_2024 3.36.12 PM
11.84 03_20_2024 3.36.13 PM
12.18 03_20_2024 3.36.14 PM
12.12 03_20_2024 3.36.15 PM
11.84 03_20_2024 3.36.15 PM
12.56 03_20_2024 3.36.16 PM
15.39 03_20_2024 3.36.17 PM
15.39 03_20_2024 3.36.18 PM
15.39 03_20_2024 3.36.18 PM
15.33 03_20_2024 3.36.19 PM
12.79 03_20_2024 3.36.20 PM
12.34 03_20_2024 3.36.20 PM
11.68 03_20_2024 3.36.21 PM
11.29 03_20_2024 3.36.22 PM
11.29 03_20_2024 3.36.23 PM
11.29 03_20_2024 3.36.23 PM
11.18 03_20_2024 3.36.24 PM
11.29 03_20_2024 3.36.25 PM
10.85 03_20_2024 3.36.26 PM
11.18 03_20_2024 3.36.26 PM
11.07 03_20_2024 3.36.27 PM
10.96 03_20_2024 3.36.28 PM
10.85 03_20_2024 3.36.29 PM
11.07 03_20_2024 3.36.29 PM
10.96 03_20_2024 3.36.30 PM
10.96 03_20_2024 3.36.31 PM
11.07 03_20_2024 3.36.32 PM
10.9 03_20_2024 3.36.32 PM
10.9 03_20_2024 3.36.33 PM
10.63 03_20_2024 3.36.34 PM
10.4 03_20_2024 3.36.35 PM
10.24 03_20_2024 3.36.35 PM
10.13 03_20_2024 3.36.36 PM

10.35 03_20_2024 3.36.37 PM
10.13 03_20_2024 3.36.37 PM
9.8 03_20_2024 3.36.38 PM
9.85 03_20_2024 3.36.39 PM
9.91 03_20_2024 3.36.40 PM
9.96 03_20_2024 3.36.40 PM
9.8 03_20_2024 3.36.41 PM
9.74 03_20_2024 3.36.42 PM
10.68 03_20_2024 3.36.43 PM
15.55 03_20_2024 3.36.44 PM
19.26 03_20_2024 3.36.44 PM
19.93 03_20_2024 3.36.45 PM
20.09 03_20_2024 3.36.46 PM
19.93 03_20_2024 3.36.46 PM
25.35 03_20_2024 3.36.47 PM
31.83 03_20_2024 3.36.48 PM
32.17 03_20_2024 3.36.49 PM
27.9 03_20_2024 3.36.49 PM
23.25 03_20_2024 3.36.50 PM
23.25 03_20_2024 3.36.51 PM
23.58 03_20_2024 3.36.52 PM
24.8 03_20_2024 3.36.52 PM
25.35 03_20_2024 3.36.53 PM
25.24 03_20_2024 3.36.54 PM
24.52 03_20_2024 3.36.54 PM
21.81 03_20_2024 3.36.55 PM
21.26 03_20_2024 3.36.56 PM
21.04 03_20_2024 3.36.57 PM
21.04 03_20_2024 3.36.57 PM
21.04 03_20_2024 3.36.58 PM
20.98 03_20_2024 3.36.59 PM
21.59 03_20_2024 3.37.00 PM
21.48 03_20_2024 3.37.00 PM
21.7 03_20_2024 3.37.01 PM
21.81 03_20_2024 3.37.02 PM
22.09 03_20_2024 3.37.02 PM
22.31 03_20_2024 3.37.03 PM
22.75 03_20_2024 3.37.04 PM
22.2 03_20_2024 3.37.05 PM
22.31 03_20_2024 3.37.05 PM
22.42 03_20_2024 3.37.06 PM
22.09 03_20_2024 3.37.07 PM
22.09 03_20_2024 3.37.07 PM

21.7 03_20_2024 3.37.08 PM
16.44 03_20_2024 3.37.09 PM
16.66 03_20_2024 3.37.10 PM
18.43 03_20_2024 3.37.10 PM
12.62 03_20_2024 3.37.11 PM
13.06 03_20_2024 3.37.12 PM
18.43 03_20_2024 3.37.12 PM
20.09 03_20_2024 3.37.13 PM
20.98 03_20_2024 3.37.14 PM
21.26 03_20_2024 3.37.15 PM
17.99 03_20_2024 3.37.15 PM
11.18 03_20_2024 3.37.16 PM
9.63 03_20_2024 3.37.17 PM
9.24 03_20_2024 3.37.17 PM
8.58 03_20_2024 3.37.18 PM
8.58 03_20_2024 3.37.19 PM
8.41 03_20_2024 3.37.20 PM
8.41 03_20_2024 3.37.21 PM
8.13 03_20_2024 3.37.21 PM
8.25 03_20_2024 3.37.22 PM
8.19 03_20_2024 3.37.23 PM
8.08 03_20_2024 3.37.23 PM
7.91 03_20_2024 3.37.24 PM
7.8 03_20_2024 3.37.25 PM
7.75 03_20_2024 3.37.26 PM
7.58 03_20_2024 3.37.26 PM
7.75 03_20_2024 3.37.27 PM
7.47 03_20_2024 3.37.28 PM
7.64 03_20_2024 3.37.29 PM
7.36 03_20_2024 3.37.30 PM
7.41 03_20_2024 3.37.30 PM
7.53 03_20_2024 3.37.31 PM
7.36 03_20_2024 3.37.32 PM
7.36 03_20_2024 3.37.32 PM
7.19 03_20_2024 3.37.33 PM
7.14 03_20_2024 3.37.34 PM
12.01 03_20_2024 3.37.34 PM
23.47 03_20_2024 3.37.35 PM
29.62 03_20_2024 3.37.36 PM
34.05 03_20_2024 3.37.37 PM
42.08 03_20_2024 3.37.37 PM
43.74 03_20_2024 3.37.38 PM
44.9 03_20_2024 3.37.39 PM

43.9	03_20_2024	3.37.40	PM
42.58	03_20_2024	3.37.40	PM
11.29	03_20_2024	3.37.41	PM
9.63	03_20_2024	3.37.42	PM
8.63	03_20_2024	3.37.43	PM
7.91	03_20_2024	3.37.44	PM
7.03	03_20_2024	3.37.44	PM
6.86	03_20_2024	3.37.45	PM
6.86	03_20_2024	3.37.46	PM
6.97	03_20_2024	3.37.47	PM
6.86	03_20_2024	3.37.47	PM
6.86	03_20_2024	3.37.48	PM
6.64	03_20_2024	3.37.49	PM
6.31	03_20_2024	3.37.50	PM
5.98	03_20_2024	3.37.51	PM
5.92	03_20_2024	3.37.51	PM
20.98	03_20_2024	3.37.52	PM
60.63	03_20_2024	3.37.53	PM
63.62	03_20_2024	3.37.54	PM
66.77	03_20_2024	3.37.55	PM
83.44	03_20_2024	3.37.56	PM
93.96	03_20_2024	3.37.56	PM
104.92	03_20_2024	3.37.57	PM
108.41	03_20_2024	3.37.58	PM
112.12	03_20_2024	3.37.59	PM
105.86	03_20_2024	3.38.00	PM
106.2	03_20_2024	3.38.01	PM
108.08	03_20_2024	3.38.01	PM
108.41	03_20_2024	3.38.02	PM
112.45	03_20_2024	3.38.03	PM
103.93	03_20_2024	3.38.04	PM
106.81	03_20_2024	3.38.05	PM
104.92	03_20_2024	3.38.06	PM
105.86	03_20_2024	3.38.07	PM
104.92	03_20_2024	3.38.08	PM
109.08	03_20_2024	3.38.09	PM
107.8	03_20_2024	3.38.09	PM
106.47	03_20_2024	3.38.10	PM
112.12	03_20_2024	3.38.11	PM
18.82	03_20_2024	3.38.12	PM
11.29	03_20_2024	3.38.13	PM
9.35	03_20_2024	3.38.14	PM
8.85	03_20_2024	3.38.15	PM

30.95 03_20_2024 3.38.16 PM
32.05 03_20_2024 3.38.17 PM
35.6 03_20_2024 3.38.17 PM
42.74 03_20_2024 3.38.18 PM
31.94 03_20_2024 3.38.19 PM
25.47 03_20_2024 3.38.20 PM
26.19 03_20_2024 3.38.21 PM
27.79 03_20_2024 3.38.21 PM
29.12 03_20_2024 3.38.22 PM
28.9 03_20_2024 3.38.23 PM
29.51 03_20_2024 3.38.24 PM
29.01 03_20_2024 3.38.24 PM
29.23 03_20_2024 3.38.25 PM
29.23 03_20_2024 3.38.26 PM
29.01 03_20_2024 3.38.27 PM
29.4 03_20_2024 3.38.28 PM
29.12 03_20_2024 3.38.28 PM
26.46 03_20_2024 3.38.29 PM
25.96 03_20_2024 3.38.30 PM
23.64 03_20_2024 3.38.31 PM
23.47 03_20_2024 3.38.31 PM
23.36 03_20_2024 3.38.32 PM
24.08 03_20_2024 3.38.33 PM
24.58 03_20_2024 3.38.34 PM
24.91 03_20_2024 3.38.35 PM
24.8 03_20_2024 3.38.35 PM
26.35 03_20_2024 3.38.36 PM
27.79 03_20_2024 3.38.37 PM
28.51 03_20_2024 3.38.38 PM
28.79 03_20_2024 3.38.38 PM
28.9 03_20_2024 3.38.39 PM
28.79 03_20_2024 3.38.40 PM
28.9 03_20_2024 3.38.41 PM
28.79 03_20_2024 3.38.41 PM
28.9 03_20_2024 3.38.42 PM
28.9 03_20_2024 3.38.43 PM
28.4 03_20_2024 3.38.44 PM
28.51 03_20_2024 3.38.45 PM
27.29 03_20_2024 3.38.45 PM
25.74 03_20_2024 3.38.46 PM
25.35 03_20_2024 3.38.47 PM
25.47 03_20_2024 3.38.48 PM
27.07 03_20_2024 3.38.48 PM

27.07 03_20_2024 3.38.49 PM
27.29 03_20_2024 3.38.50 PM
27.4 03_20_2024 3.38.51 PM
28.79 03_20_2024 3.38.51 PM
31.83 03_20_2024 3.38.52 PM
31.83 03_20_2024 3.38.53 PM
32.44 03_20_2024 3.38.54 PM
33.33 03_20_2024 3.38.55 PM
34.71 03_20_2024 3.38.55 PM
34.05 03_20_2024 3.38.56 PM
34.16 03_20_2024 3.38.57 PM
37.81 03_20_2024 3.39.03 PM
39.03 03_20_2024 3.39.04 PM
39.47 03_20_2024 3.39.05 PM
38.87 03_20_2024 3.39.05 PM
39.81 03_20_2024 3.39.06 PM
39.81 03_20_2024 3.39.07 PM
34.16 03_20_2024 3.39.08 PM
30.45 03_20_2024 3.39.09 PM
29.51 03_20_2024 3.39.09 PM
29.4 03_20_2024 3.39.10 PM
32.05 03_20_2024 3.39.11 PM
34.82 03_20_2024 3.39.12 PM
36.15 03_20_2024 3.39.12 PM
37.04 03_20_2024 3.39.13 PM
38.42 03_20_2024 3.39.14 PM
38.53 03_20_2024 3.39.15 PM
37.98 03_20_2024 3.39.16 PM
37.98 03_20_2024 3.39.17 PM
37.2 03_20_2024 3.39.17 PM
36.76 03_20_2024 3.39.18 PM
36.76 03_20_2024 3.39.19 PM
36.93 03_20_2024 3.39.20 PM
36.6 03_20_2024 3.39.21 PM
36.48 03_20_2024 3.39.21 PM
38.09 03_20_2024 3.39.22 PM
38.87 03_20_2024 3.39.23 PM
39.81 03_20_2024 3.39.24 PM
41.63 03_20_2024 3.39.25 PM
41.8 03_20_2024 3.39.25 PM
41.63 03_20_2024 3.39.26 PM
42.08 03_20_2024 3.39.27 PM
42.24 03_20_2024 3.39.28 PM

42.08 03_20_2024 3.39.29 PM
42.74 03_20_2024 3.39.29 PM
40.97 03_20_2024 3.39.30 PM
41.63 03_20_2024 3.39.31 PM
40.97 03_20_2024 3.39.32 PM
39.64 03_20_2024 3.39.32 PM
38.42 03_20_2024 3.39.33 PM
33.22 03_20_2024 3.39.34 PM
28.9 03_20_2024 3.39.35 PM
28.62 03_20_2024 3.39.35 PM
32.05 03_20_2024 3.39.36 PM
33.88 03_20_2024 3.39.37 PM
33.61 03_20_2024 3.39.38 PM
26.57 03_20_2024 3.39.39 PM
25.74 03_20_2024 3.39.39 PM
26.57 03_20_2024 3.39.40 PM
36.6 03_20_2024 3.39.41 PM
37.37 03_20_2024 3.39.42 PM
37.98 03_20_2024 3.39.43 PM
38.87 03_20_2024 3.39.43 PM
38.53 03_20_2024 3.39.44 PM
36.76 03_20_2024 3.39.45 PM
31.72 03_20_2024 3.39.46 PM
25.13 03_20_2024 3.39.47 PM
23.64 03_20_2024 3.39.48 PM
30.34 03_20_2024 3.39.48 PM
36.15 03_20_2024 3.39.49 PM
29.4 03_20_2024 3.39.50 PM
43.74 03_20_2024 3.40.00 PM
52.38 03_20_2024 3.40.02 PM
41.63 03_20_2024 3.40.03 PM
41.3 03_20_2024 3.40.10 PM
44.4 03_20_2024 3.40.12 PM
44.24 03_20_2024 3.40.13 PM
45.01 03_20_2024 3.40.14 PM
45.34 03_20_2024 3.40.15 PM
45.01 03_20_2024 3.40.16 PM
45.18 03_20_2024 3.40.17 PM
44.57 03_20_2024 3.40.18 PM
43.74 03_20_2024 3.40.19 PM
44.07 03_20_2024 3.40.20 PM
43.74 03_20_2024 3.40.22 PM
44.4 03_20_2024 3.40.22 PM

40.8	03_20_2024	3.40.23	PM
39.47	03_20_2024	3.40.24	PM
36.04	03_20_2024	3.40.25	PM
35.71	03_20_2024	3.40.26	PM
32.66	03_20_2024	3.40.27	PM
29.23	03_20_2024	3.40.28	PM
28.51	03_20_2024	3.40.28	PM
23.47	03_20_2024	3.40.29	PM
23.03	03_20_2024	3.40.30	PM
22.81	03_20_2024	3.40.31	PM
22.53	03_20_2024	3.40.32	PM
22.92	03_20_2024	3.40.33	PM
22.92	03_20_2024	3.40.33	PM
31.34	03_20_2024	3.40.34	PM
35.1	03_20_2024	3.40.35	PM
46.29	03_20_2024	3.40.36	PM
49.39	03_20_2024	3.40.37	PM
49.55	03_20_2024	3.40.38	PM
51.21	03_20_2024	3.40.39	PM
53.37	03_20_2024	3.40.39	PM
52.54	03_20_2024	3.40.40	PM
51.21	03_20_2024	3.40.41	PM
50.27	03_20_2024	3.40.42	PM
37.37	03_20_2024	3.40.43	PM
33.61	03_20_2024	3.40.44	PM
22.53	03_20_2024	3.40.45	PM
23.47	03_20_2024	3.40.46	PM
23.47	03_20_2024	3.40.47	PM
22.09	03_20_2024	3.40.48	PM
30.84	03_20_2024	3.40.49	PM
31.72	03_20_2024	3.40.50	PM
30.73	03_20_2024	3.40.51	PM
24.91	03_20_2024	3.40.52	PM
22.42	03_20_2024	3.40.52	PM
22.09	03_20_2024	3.40.53	PM
21.59	03_20_2024	3.40.54	PM
21.26	03_20_2024	3.40.55	PM
21.04	03_20_2024	3.40.56	PM
21.15	03_20_2024	3.40.57	PM
21.37	03_20_2024	3.40.58	PM
22.2	03_20_2024	3.40.58	PM
28.18	03_20_2024	3.40.59	PM
30.34	03_20_2024	3.41.00	PM

34.6 03_20_2024 3.41.01 PM
35.1 03_20_2024 3.41.02 PM
35.6 03_20_2024 3.41.03 PM
34.44 03_20_2024 3.41.04 PM
30.23 03_20_2024 3.41.04 PM
33.33 03_20_2024 3.41.05 PM
35.1 03_20_2024 3.41.06 PM
35.71 03_20_2024 3.41.07 PM
36.32 03_20_2024 3.41.08 PM
36.32 03_20_2024 3.41.09 PM
34.99 03_20_2024 3.41.09 PM
33.88 03_20_2024 3.41.10 PM
4.2 03_20_2024 3.56.47 PM
4.15 03_20_2024 3.56.48 PM
4.26 03_20_2024 3.56.49 PM
4.09 03_20_2024 3.56.50 PM
4.15 03_20_2024 3.56.50 PM
4.2 03_20_2024 3.56.51 PM
4.09 03_20_2024 3.56.52 PM
4.09 03_20_2024 3.56.53 PM
4.15 03_20_2024 3.56.54 PM
4.15 03_20_2024 3.56.54 PM
4.04 03_20_2024 3.56.55 PM
4.09 03_20_2024 3.56.56 PM
4.04 03_20_2024 3.56.57 PM
4.04 03_20_2024 3.56.57 PM
4.04 03_20_2024 3.56.58 PM
4.04 03_20_2024 3.56.59 PM
4.09 03_20_2024 3.57.00 PM
3.93 03_20_2024 3.57.00 PM
4.04 03_20_2024 3.57.01 PM
4.04 03_20_2024 3.57.02 PM
4.04 03_20_2024 3.57.03 PM
4.04 03_20_2024 3.57.04 PM
3.98 03_20_2024 3.57.04 PM
3.98 03_20_2024 3.57.05 PM
4.04 03_20_2024 3.57.06 PM
6.58 03_20_2024 3.57.07 PM
12.45 03_20_2024 3.57.07 PM
20.98 03_20_2024 3.57.08 PM
23.36 03_20_2024 3.57.09 PM
24.08 03_20_2024 3.57.10 PM
23.97 03_20_2024 3.57.10 PM

21.48	03_20_2024	3.57.11 PM
14.06	03_20_2024	3.57.12 PM
11.01	03_20_2024	3.57.13 PM
9.13	03_20_2024	3.57.13 PM
8.52	03_20_2024	3.57.14 PM
16	03_20_2024	3.57.15 PM
30.62	03_20_2024	3.57.15 PM
40.14	03_20_2024	3.57.16 PM
41.63	03_20_2024	3.57.17 PM
42.58	03_20_2024	3.57.18 PM
41.91	03_20_2024	3.57.19 PM
36.76	03_20_2024	3.57.20 PM
23.58	03_20_2024	3.57.20 PM
22.31	03_20_2024	3.57.21 PM