

Vehicle information

Chrysler Up to 2003

VIN: 1C4GP45R15B196244

Diagnostics time: 2025/03/13 20:21

Mileage:

Path: Automatic selection > 2005 > RS-Caravan, voyager, town & country > Diagnosis > Auto scan > Active test > Fuel injector 2 >

Fuel injector 2

Fuel injector 2	Actuator is running!	
MAP VACUUM	3.0	mmVAC
MAP VOLTS	4.46	VOLTS
BAROMETRIC PRESSURE	765.4	Mm hg
P-RATIO MAP/BARO	0.988	%
TPS VOLTS	0.01	VOLTS
TPS CALCULATED VOLT	1.2	VOLTS
MINIMUM TPS	1.22	VOLTS
TPS PERCENT	0	%
CAM CRANK DIFFERENCE	0.0	
ENGINE RPM	0	RPM
TARGET IDLE	1200	RPM
TIME FROM START/RUN	0.0	MINs
IGNITION OFF TIME	219	Minutes
PURGE DUTY CYCLE	0	%
DES PURGE CURRENT	0	mA
ACT PURGE CURRENT	1	mA
PURGE AIRFLOW	0.0	gm/sec
PURGE MODE	OFF	
PURGE VAPOR RATIO	35.2	%
PURGE ADAPTIVE	0.0	%
EGR SENSE VOLTS	4.6	VOLTS
EGR DUTY CYCLE	0	%
EGR FLOW	0.0	gm/sec
INJECTOR PW CYL 1	0.0	mSEC
CRANKING INJ PW	0.0	mSEC
1/1 O2S GOAL VOLTS	0.0	VOLTS
1/1 O2 GOAL (0-1)	0.0	VOLTS
1/1 O2 VOLTS (0-1)	2.39	
1/2 O2 VOLTS (0-1)	2.31	
1/1 O2S VOLTS	4.94	VOLTS

1/2 O2S VOLTS	4.86	VOLTS
1/1 PWM O2 HEATER	0	%
1/2 PWM O2 HEATER	0	%
1/1 SHORT TERM ADAP	-0.0	%
1/1 LONG TERM ADAP	0.0	%
CLOSED LOOP TIMER	16.8	SECS
CURRENT ADAP CELL ID	24	
DES PWM RAD FAN	0	%
ENG COOLANT TEMP DEG	12.0	°C
ENG COOLANT TEMP VOLT	4.12	VOLTS
INTAKE AIR TEMP DEG	13.0	°C
INTAKE AIR TMP VOLT	5.01	VOLTS
BAT TEMP DEG	13	°C
BAT TEMP VOLT	2.59	VOLTS
AMB TEMP DEG	27	°C
AMB TEMP VOLT	2.1	VOLTS
CAT MODELED TEMP DEG	-64.0	°C
VOLTAGE SENSE	12.31	VOLTS
VOLTAGE SENSE	12.31	VOLTS
TARGET CHARGING VLT	13.88	VOLTS
GENERATOR DUTY CYCLE	0	%
IAC CURRENT	0	mA
IAC TOTAL AIRFLOW		gm/sec
IAC PWM		%
SPARK ADVANCE		
IGN DWELL CYL 1		mSEC
COIL 1 BURN TIME		uSECS
NVLD PULLDOWN TIMER		SECS
AC HI-SIDE PRESSURE		KPa
AC HI-SIDE VOLTS		VOLTS
FUEL LEVEL	26.5	LTR
FUEL LEVEL PERCENT	34	%
FUEL VAPOR VOLUME	64.4	LTR
FUEL TANK SIZE	78.6	LTR
FUEL LVL CALCULATED	-64.4	LTR
PCM ODOMETER	251321.7	Kilometers
VEH SPEED SIGNAL	0	km/h
S/C SWITCH VOLTS	4.55	VOLTS

S/C SET SPEED	0	km/h
S/C CANCEL SW	Released	
CURRENT FUEL SHUTOFF	ASD	
VEH THEFT SECURITY	FUEL ON	
VEH THEFT STATE		
CAM SYNC STATE		
CAM SYNC AT START		
CRANK SYNC STATE		
CRANK SYNC AT START	Out-Of sync	
CAM CRANK LAST LOST	NONE	
FUEL FEEDBACK 1/1	OPEN LOOP	
BRAKE SWITCH	Released	
P/N POSITION SW	P/N	
A/C SELECT SWITCH	Off	
DES AC CLUTCH RELAY	Off	
ACT AC CLUTCH RELAY	HIGH	
OIL PRESSURE SW	LOW PSI	
ASD RELAY SENSE	LOW	
DES ASD RELAY		
Fuel pump relay		
DES DOUBLE START OV		
IGN START SW SENSE		
IGN RUN SW SENSE		
DES MALFUNCTION LAMP		
NVLD SWITCH		
DES NVLD SOLENOID		
S/C CRUISE IND LAMP		
S/C ON/OFF SW		
S/C SET SW		
S/C ACC/RES SW	Released	
S/C COAST SW	Released	
S/C CANCEL SW	Released	
DES S/C VAC SOL	BLOCK	
DES S/C VENT SOL	BLEED	
S/C DUMP	BLEED	
S/C WORKING STATUS	-----	
S/C DENIED STATUS	LIMP-IN	